



https://www.hechuan.com

Do not touch the installation site directly or scan the QR code

HCFA A site

5

Chongqing Hechuan Technology Co., Ltd.

No.5, Qingshan Road, Longyou Industrial Zone, Quzhou City, Zhejiang Province



Safe installation

The products in this manual are industrial products and are all open-type housing designs. It is essential to install these products within a control cabinet that is safeguarded against dust, moisture, and accidents such as electric shocks or physical impacts. Additionally, protective measures must be taken to prevent malfunctions or damage caused by improper operation or accidents involving non-maintenance personnel. Failure to do so may lead to serious risks to personnel safety and potential loss of property.

M

Please refer to the M series hardware manual for more detailed information.

Model identification

1		2		3		4		5		6	
HC		Hechuan Technology)		MA03		2AD+1DA (Analog 2AD+1DA)		BD		BD	
MXB		M M-Series optional expansion		200		M200 M200 series optional card		XXXX		0-9/A-Z/ (N/A)	

Application

Analog expansion card	HCMXB-MA03-200-BD	HCM211-20MR-A		
		HCM211-20-A		
		HCM211-20-A		
		HCM211-20 R-A		
		H		

Item		2000m		2000m		Specifications
Operating environment		Installation within a control cabinet, open-type and indoor use				
Operating temperature	0-55					0-55
Storage temperature	-25-70					-25-70
Ambient humidity	10-95%RH					10-95%RH (non-condensing)
Vibration resistance	5-150Hz X/Y/Z	1g/3.5mm			5-150Hz (X/Y/Z direction, 1g /3.5mm displacement)	
Pollution degree	2					Level 2
Cooling method						Natural air cooling
IP rating	IP20					IP20
Enclosure material						Self- 202511010001
						CN
						EN Instruction Sheet



CN		
----	--	--

--	--	--

--	--	--



--	--	--

--	--	--



--	--	--



